Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-20/02/2017

All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela MargVasant Kunj, New Delhi-110067
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	South-Central

Application Id	1-3325338519
Permanent Id	1-4287165
Name of the Institute	SREE VIDYANIKETHAN ENGINEERING COLLEGE
Address	SREE VIDYANIKETHAN ENGINEERING COLLEGE, SREE SAINATH NAGAR, A.RANGAMPET, CHANDRAGIRI MANDAL, CHITTOOR DISTRICT, PIN: 517 102, ANDHRA PRADESH.
City/Village	A.RANGAMPET
District	CHITTOOR
State	Andhra Pradesh
Pin	517102

Overall Deficiency of Institute:	
	No

Designation	Name	Qualification	Appointment type	PhD
Principal/Director	CHINNA	B.TECH, M.E (ENGG.	Regular	Yes

Date of Signature (dd/mm/yyyy)	Seal of Institute	Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Designation	Name	Qualification	Appointment type	PhD
	KRISHNAMACHARY PATTIPATI	DESIGN), PH.D (MECHANICAL ENGINEERING)		

__Other Details__

Details of Requirement	Status provided by the Institute	Deficiency
List of faculty and data uploaded on the institute web portal	Yes	No
Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
Courses/Approved Intake displayed at the entrance of the institute?	Yes	No

Anti-Ragging Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	Yes	No
Undertaking obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Undertaking obtained from parents of all the students	Yes	No
Undertaking obtained from students staying in Hostel:	Yes	No
Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	Yes	No

Total Number of Students in Institute

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Number of Students UG	5340
Number of Students PG	348
Number of Students DIPLOMA	1440
Total Students (CI) (UG+PG+DIPLOMA)	7128

Faculty

Institute Level Faculty

Type	Actual number	Required number as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	504	457	No
Minimum 80% Regular Faculty	504	366	No

Administrative Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Principal / Director Office	66	20	No
Board Room	300	20	No
Office All Inclusive	325	150	No
Department Offices	292	160	No
Cabin for Head of Dept	176	80	No
Central Store	50	30	No
Maintenance	20	10	No
Housekeeping	110	10	No
Pantry for Staff/Faculty	100	10	No
Exam Control Office	397	30	No
Training Placement Office	167	50	No

Amenities Area

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	150	75	No
Girls Common Room	150	75	No
Cafeteria	836	150	No
Stationery Store	20	10	No
First aid cum Sick Room	20	10	No

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth	225	100	No
Printers	170	49	No
A1 size Color Printers	0	0	No
Legal Application S/W	39	20	No
Legal System S/W	15	3	No
PCs to Student ratio	1610	977	No

Library Facilities

Type	Available	Required	Deficiency
Volumes	117173	38000	No
Titles	17907	6900	No
National Journals	186	88	No
Library Management Software	1	1	No
Reading Room Capacity	265	150	No
MultiMediaPC	32	10	No

Instructional Area-Common Facilities

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Computer Center	304	150	No
Library & Reading Room	1250	400	No

Land Area Details

Type	Actual Room Area (Acres)	Expected Room Area (Acres)	Deficiency
Total Area of Land	26.6	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	26.6	7.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	8289	4983	No
Additional	UG/PG	840	800	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Workshop/Labs				
Tutorial Rooms - PG	POST GRADUATE	608	231	No
Laboratories-All	UG/PG	9997	4806	No
Workshops	UG/PG	210	200	No
Drawing Halls	UG/PG	420	132	No
Seminar Hall	UG/PG	1791	528	No

XX- No Rooms Available
DNA- Data Not Available / Insufficient Data
Blank Field-Data Not Entered
* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable
^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable
** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable
*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

Other Facilities

Type	Availability	Deficiency
All Weather Approach (Motorised Road)	Yes	No
Barrier free Environment	Yes	No
Electric Supply	Yes	No
General Insurance	Yes	No
Institution Web Site	Yes	No
Standalone Language Laboratory	Yes	No
Medical & Counseling	Yes	No
Notice Boards	Yes	No
Potable Water Supply	Yes	No
Safety Provisions	Yes	No
Sewage Disposal System	Yes	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Type	Availability	Deficiency
Telephone & FAX	Yes	No
Vehicle Parking	Yes	No
First Aid	Yes	No
Appointment of Student Counsellor	Yes	No
Establishment of Anti Ragging committee	Yes	No
Establishment of committee for SC/ST	Yes	No
Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty Available in the AICTE Web Portal	Yes	No
Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No

Date of Signature   Seal of Institute   Name & signature of Director /Principal
(dd/mm/yyyy)

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Type	Availability	Deficiency
Provision to watch MOOCS Courses through Swayam	Yes	No
Implementation ofUnnat Bharat Abhiyan	Yes	No
Institution-Industry Cell	Yes	No
Group Insurance for Employees	Yes	No
Insurance for Students	Yes	No
Applied membership-National Digital Library	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2017-2018

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	225	100	No
Printers-Applied Intake	170	51	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	39	20	No
Legal System S/W-Applied Intake	15	3	No
PCs to Student ratio-Applied Intake	1610	1012	No

Library Facilities

Type	Available	Required	Deficiency
Volumes	117173	38000	No
Titles	17907	6900	No
National Journals	186	88	No
Library Management Software	1	1	No
Reading Room Capacity	265	150	No
MultiMediaPC	32	10	No

Instructional Area

ENGINEERING AND TECHNOLOGY / Existing Programme

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	8289	5148	No
Additional Workshop/Labs	UG/PG	840	800	No
Tutorial Rooms - PG	POST GRADUATE	608	264	No
Laboratories-All	UG/PG	9997	5928	No
Workshops	UG/PG	210	200	No
Drawing Halls	UG/PG	420	132	No
Seminar Hall	UG/PG	1791	528	No

XX- No Rooms Available
DNA- Data Not Available / Insufficient Data
Blank Field-Data Not Entered
* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable
^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable
** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable
*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

Date of Signature (dd/mm/yyyy)	Seal of Institute	Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Application Deficiency Report

DECLARATION
BY THE PRINCIPAL/DIRECTOR OF THE INSTITUTE

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and also the various provisions mentioned in the Approval Process Hand Book 2017-18.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision of correction for data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Dual Degree course, Integrated Course, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf Quota Approval Status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa(as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2017-18.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that the institute is eligible for grant of Extension of Approval, Increase/Reduction of intake, Addition of new courses, Closure of course, supernumerary seats under PIO/FN/Gulf Quota Approval Status/OCI, NRI, Change of name, Dual Degree course, Integrated course, Change of site, Conversion of women institute into Co-ed institute and vice versa (as applicable) only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2017-18.

(Principal/Director)

| Date of Signature | Seal of Institute | Name & signature of Director /Principal |
| (dd/mm/yyyy) | | |

***Note :- All the Dates in the Report are in dd/mm/yyyy) format