



24

अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVT. OF INDIA)

PROF. K. SUBRAMANIAN,
ADVISER (PGE&R)

CSE-0113
F.No.: PG/AP/M.TECH./2004/CSE-0113
Date : 27.06.2004

Principal,
Secretary Higher Education
A.P. Government Secretariat,
Hyderabad - 500 028
Andhra Pradesh

Sub: AICTE approval to SREE VIDYANIKETHAN ENGINEERING COLLEGE, SREE SAINATH NAGAR, A. RANGAMPET NEAR TIRUPATI, CHANDRAGIRI MANDAL, CHITTOOR DIST, ANDHRA PRADESH 517102 for the conduct of P.G. Course.

Sir,

I am directed to state that based on the recommendation of the Expert Committee, the Evaluation Committee constituted by the Council, Regional Committee and the subsequent decision by EC Sub-Committee, All India Council for Technical Education (AICTE) is pleased to accord approval to SREE VIDYANIKETHAN ENGINEERING COLLEGE, SREE SAINATH NAGAR, A. RANGAMPET NEAR TIRUPATI, CHANDRAGIRI MANDAL, CHITTOOR DIST, ANDHRA PRADESH 517102 for the academic year 2004-05, for the PG Course(s) as per intake given below:

COURSE(S)	APPROVED INTAKE				LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
	General Category	Sponsored	SC/ST	TOTAL			
COMPUTER SC. & ENGG. (SOFTWARE)	10	05	03	18	M.TECH.	2 Years	2004-06

The approval has been accorded subject to fulfillment of general conditions as per norms and standards prescribed by AICTE and also specific conditions (if any, given).

The council may inspect/visit the institution any time it may deem fit to assess if the Norms & Standards as stipulated by AICTE are fulfilled and/or to verify the progress/compliance.

The admission will be made in accordance with the AICTE guidelines given as Annexure - I to this letter.

In the event of infringement/contravention or non-compliance of the norms and standards as prescribed by the AICTE, the Council shall take further action to withdraw approval and the liability arising out of such withdrawal of approval will be solely that of Management/Trust/Society and/or Institution.

(K. SUBRAMANIAN)

Copy to :-

1. The Director/Principal,
SREE VIDYANIKETHAN ENGINEERING COLLEGE,
SREE SAINATH NAGAR, A. RANGAMPET
NEAR TIRUPATI,
CHANDRAGIRI MANDAL,
CHITTOOR DIST, ANDHRA PRADESH-517102
2. The Regional Officer, SRO, AICTE, 26, Haddows Road, Shastri Bhavan
Chennai - 600006
3. Guard File (AICTE)
4. Office Copy

NO Annexure - I

xerox copies to

- (1) SO, SRET
- (2) Dean (Academic)
- (3) Director (PG Course)
- (4) HO, CSE/CSSE
- (5) AAO

Dr. P.C. KRISHNAMACHARY
B.Tech., M.E., Ph.d., MISTE
PRINCIPAL
SREE VIDYANIKETHAN ENGINEERING COLLEGE
Sree Sainath Nagar, A. Rangampet
Chittoor (Dt.)-517 102, A.P.

(K. SUBRAMANIAN)
Adviser (PGE&R)

इंदिरा गांधी खेल संस्थान, इंदिरा एस्टेट, नई दिल्ली - 110002
Indira Gandhi Sports Complex, I. P. Estate, New Delhi - 110 002
दूरभाष / Phone : 23392506, 63-65-68, 71 73-75 फैक्स / Fax : 011-23392554
वेबसाइट / Website : www.aicteernet.in

POSTAL LOCAL
12/11
1417
SIGNATURE

8055 29



अखिल भारतीय तकनीकी शिक्षा परिषद् ALL INDIA COUNCIL FOR TECHNICAL EDUCATION (भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

PROF. K. SUBRAMANIAN,
ADVISER (PGE&R)

EE-072
F.No.: PG/M.TECH/2004/EEE-72
Date : 17.06.2004

Principal,
Secretary Higher Education
A.P. Government Secretariat,
Hyderabad - 500 028
Andhra Pradesh

Sub: AICTE approval to SREE VIDYANIKETHAN ENGINEERING COLLEGE, SREE SAINATH NAGAR, A. RANGAMPET NEAR TIRUPATI, CHANDRAGIRI MANDAL CHITTOOR DISTRICT ANDHRA PRADESH 517 102 for the conduct of P.G. Course.

Sir,

I am directed to state that based on the recommendation of the Expert Committee, the Evaluation Committee constituted by the Council, Regional Committee and the subsequent decision by EC Sub-Committee, All India Council for Technical Education (AICTE) is pleased to accord approval to **SREE VIDYANIKETHAN ENGINEERING COLLEGE, SREE SAINATH NAGAR, A. RANGAMPET NEAR TIRUPATI, CHANDRAGIRI MANDAL CHITTOOR DISTRICT ANDHRA PRADESH 517 102** for the academic year 2004-05, for the PG Course(s) as per intake given below:

COURSE(S)	APPROVED INTAKE				LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
	General Category	Sponsored	SC/ST	TOTAL			
ELECTRICAL POWER SYSTEMS	10	05	03	18	M.TECH	2 Years	2004-06

The approval has been accorded subject to fulfillment of general conditions as per norms and standards prescribed by AICTE and also specific conditions (if any, given).

The council may inspect/visit the institution any time it may deem fit to assess if the Norms & Standards as stipulated by AICTE are fulfilled and/or to verify the progress/compliance.

The admission will be made in accordance with the AICTE guidelines given as Annexure - I to this letter.

In the event of infringement/contravention or non-compliance of the norms and standards as prescribed by the AICTE, the Council shall take further action to withdraw approval and the liability arising out of such withdrawal of approval will be solely that of Management/Trust/Society and/or Institution.

(K. SUBRAMANIAN)

Copy to :-

1. The Director/Principal,
SREE VIDYANIKETHAN ENGINEERING COLLEGE,
SREE SAINATH NAGAR, A. RANGAMPET
NEAR TIRUPATI, CHANDRAGIRI MANDAL
CHITTOOR DISTRICT
ANDHRA PRADESH-517 102
2. The Regional Officer, SRO, AICTE, 26, Haddows Road, Shastri Bhavan
Chennai - 600006
3. Guard File (AICTE)
4. Office Copy

NC Annexure-I.

Three copies to

- (a) So, SUEI
- (b) Dean (Academic)
- (c) Director (PG course)
- (d) AAC

Dr. P.C. KRISHNAMACHARY
B.Tech., M.E., Ph.d., MISTE
PRINCIPAL

SREE VIDYANIKETHAN ENGINEERING COLLEGE
Sree Sainath Nagar, A. Rangampet
Chittoor (Dist) - 517 102, A.P.

(K. SUBRAMANIAN)
Adviser (PGE&R)

इंदिरा गांधी खेल परिसर
Indira Gandhi Sports Complex, I. P. Estate, New Delhi -110 002

दूरभाष / Phone : 23392506, 63-65-68, 71, 73 -75 फैक्स / Fax : 011-23392554


वेबसाइट / Website : www.aicte.ernet.in

DESPATCHED
POSTAL/LOCAL
DATE 14/7/04



अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No.: 730-50-237(E)/ET/97



Date:14.05.2004

To

THE SECRETARY TECHNICAL EDUCATION,
GOVT. OF ANDHRA PRADESH,
A.P. GOVT. SECRETARIAT,
HYDERABAD - 5000.28

Sub: Extension of approval of AICTE to SREE VIDYA NIKETAN COLLEGE OF ENGINEERING, SREE SAINATH NAGAR , A.RANGAMPET CHENDRAGIRI MANDAL, CHITTOOR DIST. 517 102 for the academic year 2004-05.

Sir/Madam,

The Application/ Proposal and/ or the Compliance Report received from SREE VIDYA NIKETAN COLLEGE OF ENGINEERING, SREE SAINATH NAGAR , A.RANGAMPET CHENDRAGIRI MANDAL, CHITTOOR DIST. 517 102 has been processed as per laid down procedure, guidelines, policy and/or norms & standards of AICTE, mentioned in AICTE Regulations and/ or "AICTE Hand Book for Approval Process".

I am directed to state that the All India council for Technical Education (AICTE) is pleased to accord approval to SREE VIDYA NIKETAN COLLEGE OF ENGINEERING, SREE SAINATH NAGAR , A.RANGAMPET CHENDRAGIRI MANDAL, CHITTOOR DIST. 517 102 for extension of AICTE Approval/ Introduction of new course(s)/ Variation in intake (Increase/ Decrease), as applicable for under-graduate degree level course(s) in ENGINEERING & TECHNOLOGY with annual intake as given below :

FULL TIME COURSE(S)	EXISTING ANNUAL INTAKE	REVISED APPROVED INTAKE	ENTRY LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
TO TECHNOLOGY	30	30	10+2	4	2004-2005
COMPUTER SC & ENGG	120	120	10+2	4	2004-2005
COMPUTER SCIENCE & SYSTEMS ENGG	60	60	10+2	4	2004-2005
ELECTRICAL & ELECTRONICS ENGG	60	60	10+2	4	2004-2005
ELECTRONICS & COMM ENGG	120	120	10+2	4	2004-2005
ELECTRONICS & CONTROL SYSTEMS	60	60	10+2	4	2004-2005
ELECTRONICS & INSTRU. ENGG	60	60	10+2	4	2004-2005
INFORMATION TECHNOLOGY	120	120	10+2	4	2004-2005
Total Annual Intake	630.	630.			

Contd./---2

P.C.O. [Signature] Retained

Dr. P.C. KRISHNAMACHARY
110002, M.E., Ph.d., MISTE
PRINCIPAL
SREE VIDYANIKETHAN ENGINEERING COLLEGE
Sree Sainath Nagar, A. Rangampet
Chittoor (Dt.)-517 102, A.P.

The Approval accorded above is subject to the conditions that any of the following is not violated or intervened during the period of validity of said approval:

1. The institution must continue to have Affiliation to a University for the above courses before making admissions. In the absence of such Affiliation this letter of approval shall be treated as Withdrawn (Order of the High Court of Madras in W. P. No. 33256 of 2002 and other Batch of Petitions).

2. The approved course(s) shall commence as per the academic calendar of the Affiliating University.
3. If this letter of approval is received by you after the closing date of State / National Level Central Counseling for Admissions in the concerned State / Union Territory, this Letter of Approval will not be valid for making any admission during the above specified academic year, and shall be treated as withdrawn.
4. No excess admission shall be made by the Institution during any academic year.
5. The approval is valid only for the academic year 2004-2005. If no further extension of AICTE approval is received beyond the academic year 2004-2005, this Approval Letter will not be valid for making any admission for the subsequent years.
6. Any other condition(s) as may be specified by AICTE from time to time.

Consequent to the Supreme Court Judgment, the Model Constitution of Governing Body notified by AICTE in its approval Regulations 1994, stands overruled. It has been decided that while AICTE will not insist on any nomination in the Governing Body of Private Unaided Institutions, the Affiliating University / State Government shall impose minimum conditions of affiliation, such as, prescription of qualifications of Governing Body Members, in order to ensure academic excellence. It shall be desirable for the private unaided institutions to induct at least 50% of the members of the Governing Body drawn from renowned academia, academic administrators, Subject Experts and professionals from industry, in order to seek their innovative ideas for continuous improvement in the delivery of teaching learning process, matching best practices elsewhere and achieve excellence.

In exercise of power conferred under 10(p) of the AICTE Act, AICTE, may inspect the institution any time, it may deem fit to verify the progress / compliance or for any other purpose.

The suggested improvements, enclosed, herewith, should be complied with before the commencement of the next academic year, failing which appropriate action may be effected.

----- 3




Dr. P.C. KRISHNAMACHARY
B.Tech., M.E., Ph.d., MISTE
PRINCIPAL

SREE VIDYANIKETAN ENGINEERING COLLEGE
Sree Sainath Nagar, A. Rangampet
Chittoor (Dt.)-517 102, A.P.

In the event of infringement/ contravention or non-compliance of the above Conditions and/or the provision of AICTE Act & Regulations/ Guidelines/ Norms & Standards as prescribed by AICTE, further actions leading to "Reduced Intake" or "No Admission" or "Withdrawal of Approval", may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institution.

Yours faithfully,




(Prof. R.S. Gaud)
Adviser (UG)

Encl. : Suggested Improvements (Specific Conditions)

Copy to:

1. The Regional Officer,
AICTE Southern Regional Office,
26, Haddows Road,
Shastri Bhawan,
Chennai - 600 006
2. The Registrar, JNTU
3. The Principal
SREE VIDYA NIKETAN COLLEGE OF ENGINEERING,
SREE SAINATH NAGAR , A.RANGAMPET
CHENDRAGIRI MANDAL, CHITTOOR DIST. 517 102
4. The Commissioner of Tech.
Education Govt. of Andhra Pradesh,
5th Floor, BRKR Govt. Complex,
Hyderabad - 500 063.
5. Guard File, Bureau (UG), AICTE.



Dr. P.C. KRISHNAMACHARY
B.Tech., M.E., Ph.d., MISTE
PRINCIPAL


SREE VIDYANIKETHAN ENGINEERING COLLEGE
Sree Sainath Nagar, A. Rangampet
Chittoor (Dt.)-517 102, A.P.

Name and Address of the Institution

Sree Vidya Nikethan Engg. College
Sree Sainath Nagar, A. Rangampet,
Chandragiri-517 102
Chittoor Dist.

SUGGESTED IMPROVEMENTS:

- ❖ Financial status of the Institution needs to be improved.
- ❖ Adequate Computer & Internet facilities are to be provided.



Aradhana Chopra
Asst. Director (UC)



Dr. P.C. KRISHNAMACHARY
B.Tech., M.E., Ph.d., MISTE
PRINCIPAL
SREE VIDYANIKETHAN ENGINEERING COLLEGE
Sree Sainath Nagar, A. Rangampet
Chittoor (Dt.)-517 102, A.P.